

PATENT
Docket No. 56963US002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Cary A. KIPKE et al.

Group Art Unit: 1743

Serial No.: 10/020,522

Confirmation No.: 9096

Examiner: Arlen Soderquist

Filed: 14 December 2001

For:

DESSICATOR SYSTEM HAVING MODULAR ELEMENTS

RECEIVED
CENTRAL FAX CENTER

OCT 04 2004

PETITION FOR EXTENSION OF TIME

Commissioner for Patents
Mail Stop RCE
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. §1.136(a), it is respectfully requested that a one-month extension of time be granted in which to respond to the outstanding Office Action mailed 3 June 2004, thereby extending the date on which the period of response is set to expire from 3 September 2004 to 3 October 2004. Because 3 October 2004 falls on a Sunday, the request is effective for a carryover to 4 October 2004, the next business day.

Please charge Deposit Account 13-4895 in the amount of \$110.00 to cover the required extension fee. Please charge any additional fees or credit any over-payment to PTO Deposit Account No. 13-4895.

CERTIFICATE UNDER 37 C.F.R. 1.8:

The undersigned hereby certifies that this paper is being transmitted by facsimile in accordance with 37 CFR §1.6(d) to the Patent and Trademark Office, addressed to Commissioner for Patents, Mail Stop RCE, P.O. Box 1450, Alexandria, VA 22313-1450, on this 4th day of October, 2004, at 2:29 p.m. (Central Time).

Signature: *Kathleen Gagliardi-Raasch*
Name: *Kathleen Gagliardi-Raasch*

04 OCTOBER 2004
Date

Respectfully submitted for

Cary A. KIPKE et al.

By
Mueting, Raasch & Gebhardt, P.A.
P.O. Box 581415
Minneapolis, MN 55458-1415
Phone: (612)305-1220
Facsimile: (612)305-1228

By: *KWR*
Kevin W. Raasch
Reg. No. 35,651
Direct Dial (612)305-1218

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.